

Q4000 Kent bulk range of electromagnetic water meters

Accurate, reliable and a 10-year battery life



Q4000 Electromagnetic water meter

Today, accuracy and versatility are more important than ever in a metering solution. Which is why you'll want to know about the Q4000 water meter.

With an unrestricted flow tube, a 10-year battery life and an innovative flangeless design, the Q4000 offers unrivalled performance for an electromagnetic water meter. Delivering consistent accuracy over a wide flow-rate measuring range, the meter can be adapted to suit either predominantly high or low flow rates, and is ideal for a wide variety of bulk flow metering applications, such as network management, leakage monitoring and commercial billing.

Reliable connectivity

With bi-directional pulse outputs, the Q4000 provides dependable connectivity to critical water management and billing systems, including AMR and data logging devices.

Accurate measurement

The Q4000 has a sampling rate of just 0.5 seconds, so you can be confident of accurate and reliable measurement. It also features anti-corrosive electrodes to ensure consistently accurate performance throughout its entire life.

Durability

The Q4000's extremely tough stainless steel construction ensures a long, corrosion-free working life, while its lightweight body makes storage, transportation and installation both simpler and safer. An IP68 rating guarantees protection of internal electronics and long-term reliability.

Zero maintenance

Expensive regular maintenance is a thing of the past, with the Q4000's 10-year continuous battery life and no need for calibration.

Real-time data

A large, bright and easy-to-read LCD, showing volume and instantaneous flow rate, is perfect for real-time network control and water management. The Q4000 also has alarm functions providing in situ status, to ensure no loss in measuring continuity.

Easy access

The Q4000's (optional) remote display unit offers a clear LCD for simpler access in hard-to-read applications. The unit also includes two pulse outputs for connection to ancillary devices.

Low pressure loss

An unrestricted flow tube ensures minimal pressure loss, even at the highest flow rates. This means that network system pressures can be reduced, helping to prevent leakage from burst pipes.





Simple Installation

Installation of the Q4000 is simple. Its innovative flangeless design ensures it can be fitted to all common pipe flanges without adaptation. 'Wafer style' installation is straightforward for both new and replacement meters, and every unit is available complete with its own installation kit. The meter needs no calibration or commissioning during fitting – or through its entire life.

System Options

1. Display Only

Simple visual read meter only with no pulse output communications. Can be upgraded in-the-field to either option 2 or option 3.

2. Pulse Output Meter

As above with the addition of a pulse output transmitter for connection to ancillary devices including AMR and data loggers.

3. Meter + Remote Display

As option 1 with the addition of a remote display unit (pictured right) connected electronically to the meter. The remote display features two pulse output channels.



Display Functions

Volume – An integrating value displays the net volume of water measured.

Flow Rate – If water is flowing in the reverse direction a minus sign is displayed to the left of the values.

Low-Battery – The indicator will appear when the battery voltage is low and the meter should be replaced.

No-Water – The indicator will blink when there is an empty pipe or no water in the meter.



About Elster Group

A world leader in advanced metering infrastructure, integrated metering, and utilisation solutions to the gas, electricity and water industries, Elster's systems and solutions reflect over 170 years of knowledge and experience in measuring precious resources and energy. Elster provides solutions and advanced technologies to help utilities more easily, efficiently and reliably obtain and use advanced metering intelligence to improve customer service, enhance operational efficiency, and increase customer benefits. Elster's AMI solutions enable utilities to cost-effectively deliver, manage, and conserve the life-essential resources of gas, electricity, and water. Elster has over 7500 staff and operations in 38 countries in North and South America, Europe, and Asia.

For additional information, visit www.elster.com

WEEE producer identification number:
WEE/EJ0221XT/PRO

Elster Metering Limited
130 Camford Way
Sundon Park
Luton
Bedfordshire
LU3 3AN
United Kingdom
T: +44 (0)1582 846400
F: +44 (0)1582 564728
water.metering@gb.elster.com
www.elstermetering.com

Copyright © 2008 Elster Group
All rights reserved.
No part of the publication may be reproduced in any material form without the written permission of the Elster Group except in accordance with the provisions of the Copyright, Designs and Patents Act 1988.

The Company's policy is one of continuous improvement and the right is reserved to modify the specifications without notice.